

SAMPLE NAME:

Selank

SAMPLE CODE:

8ZUC-LRX6

RECEIVED DATE:

08/04/2026

PUBLISHED DATE:

08/13/2026



DECLARED IDENTITY

Selank

MATRIX TYPE:

PEPTIDE

SAMPLE NAME:

Selank

SAMPLE SIZE:

10.0 mg

LOT CODE:

ARC-SL10-007



10.62 mg

Total Quantity




99.484%

Total Blend Purity

Sample	Test	Specification	Result	Status
Selank	IDENTITY	Selank	Selank	CONFORMS
Selank	QUANTITY	MEASURE	10.62 mg	MEASURED
Selank	PURITY	> 98.0%	99.484%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
08/13/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
08/13/2026

ACCUMARKLABS.COM

8ZUC-LRX6

08/13/2026



Sample	Test	Specification	Result	Status
Selank	Endotoxin (LAL)	≤ 5.0 EU/mL	Pass	CONFORMS
Selank	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:


 Anthony Burke PhD
 Lab Manager
 08/13/2026


 Dr. Levi Fried MD
 Lab Director
 08/13/2026

ACCUMARKLABS.COM
 8ZUC-LRX6
 08/13/2026

